

CRL
Quartz
SURFACES

BY



The 2018 Collection

^{CRL}
Quartz
SURFACES

BY **CRL** STONE

Modern living made easy.





COLORADO - OZ111

Contents

About CRL Quartz	07
The 2018 Collection	08
The Renaissance Collection	10
The Marble Collection	28
The Natural Collection	34
The Rock Collection	42
The White Collection	52
Features & Advantages	59
Care & Maintenance	60
Technical Data Sheet	61
Ceralsio Ceramic Surfaces.....	62





KNIGHTSBRIDGE - QZ103



About CRL Quartz

With more than twenty years of experience in the stone industry, CRL Stone has developed a comprehensive range of beautiful, engineered quartz surfaces, created to meet the demands of modern living. Hard wearing and easy to care for, CRL Quartz is ideal for the kitchen and bathroom where durability and flexible design are paramount.


CRL Quartz is scratch, heat and stain resistant. Unlike natural materials such as marble, CRL Quartz never needs to be sealed. Requiring minimum maintenance to keep it looking as good as new, the non-porous surface makes cleaning simple, with soap and water or a mild detergent is all that is needed.

Offering a versatile design solution appropriate for any setting, CRL Quartz is available in a choice of 39 colours, with a polished or honed finish. In thicknesses of 20mm and 30mm, the surface comes in an extra-large format slab, allowing for greater consistency in design over large spaces such as kitchen worktops.


CRL Quartz comes with a 25-year warranty for added peace of mind. Visit crlquartz.co.uk to register your surface and activate your warranty.




The 2018 Collection




Ultra White
QZ100



Clear White
QZ121




Chalk
QZ130




Pura White
QZ120



Polar White
QZ131



Ice
QZ102



Arctic Shimmer
QZ138


New




Quartz Reflection
QZ126



White Water
QZ119




White Carrara
QZ101




Carrara
QZ122



Verona
QZ127




Knightsbridge
QZ103




Statuario Bianco
QZ135

New




Vicenza
QZ136

New



River White
QZ110




Atlantic Gris
QZ134

New



Monte Bianco
QZ132

New



Montana Gris
QZ133

New



Colorado
QZ111



Ivory River
QZ112




Kalahari
QZ125



Regency White
QZ123



Savannah
QZ113




Sierra
QZ114




Antico
QZ115



Sahara
QZ109



Mystic Grey
QZ104



Grey Reflection
QZ137




Soft Concrete
QZ105




Concrete Gris Honed
QZ106




Grey Mist
QZ108




Soft Truffle
QZ116




Forest
QZ129




Chestnut
QZ118



Windsor Grey
QZ124



Gallant Grey
QZ107



Gold Noir
QZ117



Midnight
QZ128



www.crlquartz.co.uk



STATUARIO BIANCO - OZ135

Statuario Bianco

QZ135



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm



River White

QZ110



Slab Size: 3050 x 1400 mm*

Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.



RIVER WHITE - OZ110



Monte Bianco

QZ132



New

Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Vicenza

QZ136



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm





MONTANA GRIS - QZ133

Montana Gris

QZ133



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm





Atlantic Gris

QZ134



New

Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm

White Water

QZ119



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Knightsbridge

QZ103



Slab Size: 3050 x 1400 mm*

Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.



KNIGHTSBRIDGE - QZ103



COLORADO - QZ111

Colorado

QZ111



Slab Size: 3050 x 1400 mm*

Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.

Sahara

QZ109




Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Grey Mist

QZ108



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm



White Carrara

QZ101



Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm



WHITE CARRARA - OZ101

2

The Marble Collection



VERONA - OZ127

Verona

QZ127



Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm



Savannah

QZ113



Slab Size: 3050 x 1400 mm*


Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.

Chestnut

QZ118



Slab Size: 3050 x 1400 mm*

Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.

Carrara

QZ122



Slab Size: 3050 x 1400 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Regency White

QZ123



Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm

3


The Natural Collection



KALAHARI - QZ125

Kalahari


QZ125



Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Mystic Grey

QZ104



Slab Size: 3050 x 1400 mm*


Finish: Polished

Thickness: 20 mm / 30 mm

*During 2018, this slab size will be replaced by a jumbo sized slab (3300 x 1650 mm).
Please call to check for stocked slab size.

Soft Truffle

QZ116



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Sierra

QZ114




Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Ivory River


QZ112



Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Antico

QZ115




Slab Size: 3050 x 1400 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Forest

QZ129



Slab Size: 3200 x 1600 mm

Finish: Polished

Thickness: 20 mm / 30 mm

4


The Rock Collection



WINDSOR GREY - OZ124

Windsor Grey

QZ124



Slab Size: 3200 x 1600 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Concrete Gris Honed

QZ106




Slab Size: 3300 x 1650 mm

Finish: Honed

Thickness: 20 mm / 30 mm


Grey Reflection

QZ137



New

Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm



Soft Concrete


QZ105



Slab Size: 3300 x 1650 mm

Finish: Polished


Thickness: 20 mm / 30 mm



SOFT CONCRETE - OZ105

Gallant Grey

QZ107




Slab Size: 3300 x 1650 mm

Finish: Polished

Thickness: 20 mm / 30 mm

Gold Noir


QZ117



Slab Size: 3050 x 1400 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Midnight

QZ128



Slab Size: 3200 x 1600 mm

Finish: Polished

Thickness: 20 mm / 30 mm



MIDNIGHT - OZ128



QUARTZ REFLECTION - OZ126

Quartz Reflection

QZ126




Close up view

Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Ultra White

QZ100



Close up view

Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Clear White

QZ121




Close up view

Slab Size: 3050 x 1400 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Chalk

QZ130



Close up view


Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm



CHALK - OZ130

Arctic Shimmer

QZ138




Close up view

New

Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Pura White

QZ120



Close up view

Slab Size: 3300 x 1650 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Polar White

QZ131




Close up view

Slab Size: 3200 x 1600 mm
Finish: Polished
Thickness: 20 mm / 30 mm

Ice

QZ102



Close up view

Slab Size: 3050 x 1400 mm
Finish: Polished
Thickness: 20 mm / 30 mm



RIVER WHITE - OZ110

Features & Advantages



Resistant to Wear & Tear

Thanks to CRL Quartz technical characteristics, this is one of the most resistant countertop on the market, ideal for use in the kitchen and the bathroom.



Highly Scratch Resistant

Food can be cut directly on top of the surface without it being damaged. Even so, adapted cutting boards should be used for cutting.



Stain Resistant

CRL Quartz is not affected by products like solvents, detergents, bleach, oil, vinegar or citrus juice, provided that the stains are cleaned away within 24 hours.



Heat Resistant

It does not burn or give off smoke or toxic substances when exposed to high temperatures.




Impact Resistant

CRL Quartz has a high resistance to knocks and impacts.



Easy to Clean & Care For

No extra care or special products are needed to clean it. Stains can be removed with water or mild cleaning products.



Hygiene

Because it is a non-porous surface, the build-up of bacteria or mould is prevented, and food can be placed in direct contact with it.



25-Year Warranty

Visit crlquartz.co.uk to register your surface and activate your warranty.

Care & Maintenance

Routine cleaning

CRL Quartz is virtually maintenance free and can be cleaned with extreme ease.

For routine cleaning and to wipe off spills, use a damp cloth or paper towel and a small amount of mild soap or non-acidic cleaner. Once clean, rinse and dry the surface thoroughly.

Note that colours available in a honed finish are more sensitive to grease or finger-prints than polished surfaces and may require extra care during routine cleaning due to the different level of smoothness.

Scratch resistance

Quartz is one of the hardest materials in nature, which is an assurance that your CRL Quartz surface will not easily scratch or chip. However, avoid using sharp objects such as knives or screwdrivers directly on the surface. The use of a cutting board is recommended.

Heat resistance

CRL Quartz can tolerate moderately hot temperature for short period of time. To maintain the natural beauty of the product, do not place hot skillets or roasting pans directly onto the surface but use an insulator or trivet instead.

Stain resistance

Thanks to their non-porous properties, CRL Quartz surfaces are highly resistant to stains. However, do not allow dirt and residue such as stubborn food or gum stains to harden and remain on CRL quartz surfaces for extended period of time. In case they do, scrape away gently using a small blade or putty remover before cleaning with warm water and soap.

For stubborn or dried spills, use a nonabrasive cleaning pad combined with a small amount of mild soap or specialized stone cleaner.

Recommended stain remover

Bar Keepers Friend Power Cream

Avoid exposing CRL Quartz to chemicals and solvents, especially paint removers or furniture strippers containing trichlorethane or methylene chloride. Keep away nail polish remover, bleach or cleansers that contain bleach, bluing, permanent markers or inks. Strong abrasive and highly alkaline (outside of 5-9pH) cleansers are not recommended when cleaning CRL Quartz. Always follow the manufacturers' dilution instructions and recommendations

If any of the substances listed above come into contact with CRL Quartz, rinse the exposed surface immediately and thoroughly with plenty of clean water.

Technical Data Sheet

TEST PERFORMED	TEST STANDARDS	TEST RESULTS
Absorption	EN-14617-1	<0.03%
Bulk Density	EN- 14617-1	2.15-2.46 g/cm ³
Flexural Strength	EN-14617-2	31-75 N/mm ²
Impact Strength	EN-14617-9	3.4 – 7.35 Joules
Thermal Expansion	EN-14617-11	16*10 ⁻⁶ – 20.8 * 10 ⁻⁶
Abrasion Resistance	EN-14617-4	23.64-27.5mm
Freeze-Thaw Resistance	EN-14617-5	0.999
Mohs Hardness	EN – 101	6.5-7.5
Slip Resistance	ASTM C 1028-07	Coefficient of friction > 0.5*
Stain Resistance	ASTM C 1378-04	Not Affected
Wear and Cleanability	ASTM Z124 6.5.3	Pass
Cigarette Test	ASTM Z124 6.5.4	Pass
Surface Burning	ASTM E-84	Class A
Chemical Resistance	EN-14617-10	Class C4
Static Coefficient of Friction	ASTM C1028-07	Dry average- 0.68*
		Wet average- 0.5*
Flame Spread	ASTM E-84	FSI<10 for 3 cm and <15 for 2 cm

*: The values are for polished finish

NOTE: These results are indicative only. The values quoted above are average for different CRL Quartz Surfaces products of 20mm thickness. The test results may vary depending on the thickness, colours, special additives and also the batches of the products and based on grain size of the quartz.

ceralsio

CERAMIC SURFACES

Explore our 2018 Ceralsio Collection

Ceralsio is a beautiful, hard-wearing and versatile range of ceramic surfaces inspired by nature.

Available in 34 colours and finishes and in three thicknesses – 12 mm large slab format for kitchen and bathroom countertops, and in 10 mm and 6 mm large tile formats for wall cladding and floor tiling – Ceralsio has all the advantages to be the ideal surface for indoor and outdoor applications.

To find out more and explore the range visit: www.ceralsio.co.uk

Four
new colours
available





Samples are free to order online at:
crlquartz.co.uk

CRL STONE

Charles Babbage Avenue
Kingsway Business Park
Rochdale OL16 4NW

Telephone: 01706 863 600

International Freephone: 00 800 0421 6144

E-mail: crlquartz@crlstone.co.uk

crlquartz.co.uk